

CSCI 136:
Data Structures
and
Advanced Programming

Lecture 13

Sorting, part 1

Instructor: Dan Barowy

Williams

Topics

- More inheritance
- Comparison sorting

Your to-dos

1. Lab 4 (partner lab), **due Tuesday 3/9 by 10pm.**
2. Read **before Wed**: Bailey, Ch 6.4, 6.7-6.9.

Practice Quiz

From last class: Inheritance

Inheritance is a **mechanism** for defining a class in terms of another class. It is a labor-saving device employed to reduce **code duplication**. Inheritance allows programmers to specify a new implementation while :

1. **maintaining the same behavior**,
2. **reusing code**, and
3. **extending the functionality** of existing software.


Example

Generic: any type of element

```
public class Vector<E>  
    extends AbstractList<E>  
    implements Cloneable
```

Borrows code from AbstractList

Behaves the same as Cloneable



(code)

Sorting algorithms

Sorting algorithm

A **sorting algorithm** is a **procedure** for transforming an unordered set of data into an ordered sequence.

A **comparison sorting algorithm** takes as input a set **S** and a binary relation **<** that defines an **ordering** on **S**.

Example order

Example: **lexicographical order** (aka, “dictionary order”):

Given two different sequences of the same length, $a_1a_2 \dots a_k$ and $b_1b_2 \dots b_k$, the first one is “less than” the second one for the lexicographical order, if $a_i < b_i$, for the first i where a_i and b_i differ.

To compare sequences of different lengths, the shorter sequence is padded at the end with “blanks.”

Lexicographic order is a **total order**, meaning that there are **no ties**. A valid comparison sort only needs to be a **weak order** (i.e., **ties are OK**).

In-place sort

An **in-place sort** is a sort that takes an unordered set of elements as an array and **modifies** (“mutates”) the original array. Most in-place sort functions return **void**.

In principle, in-place sorts can be **faster** than out-of-place algorithms, since they **do not need to copy data**.

Tradeoff: make sure that you don’t need the original, unsorted data!

Bubble sort

Bubble sort is an **in-place sorting algorithm** in which the largest element “**bubbles up**” during each pass. Bubble sort makes **n-1** passes through the data, performing pairwise comparisons of elements using **<**.

Bubble sort maintains the **invariant** (an always-true logical rule) that the rightmost **n-numSorted** elements are sorted.

I.e., bubble sort builds a sorted order to the right.

Bubble sort: intuition

Bubble sort as a Hungarian dance.

Observe that two things are happening:

1. a comparison, and
2. a swap.

<https://bit.ly/3KoPMDX>

Bubble sort algorithm

```
public static void bubbleSort(int data[], int n)
// pre: 0 <= n <= data.length
// post: values in data[0..n-1] in ascending order
{
    int numSorted = 0;        // number of values in order
    int index;               // general index
    while (numSorted < n)
    {
        // bubble a large element to higher array index
        for (index = 1; index < n-numSorted; index++)
        {
            if (data[index-1] > data[index])
                swap(data, index-1, index);
        }
        // at least one more value in place
        numSorted++;
    }
}
```

Recap & Next Class

Today:

- Inheritance
- Comparison sorting

Next class:

- More sorts