

## Outline

Parts of a language

Parser combinators

## CSCI 334: Principles of Programming Languages


### Lecture 13: Parsing

Instructor: Dan Barowy


**Williams**

## Hoare Property

“There are two ways of constructing a software design: One way is to make it so simple that there are obviously no deficiencies, and the other way is to make it so complicated that there are no obvious deficiencies.” — C.A.R. Hoare



## How do programs run?



1. lexical analysis (“front-end”)
2. evaluation (“back-end”)

## Front-end: the parser

A **parser** is a **function** that takes as input a string of symbols conforming to the rules of a formal grammar. If the string is not a valid sentence in the language, the parser **rejects** the string. If the string is a valid sentence in the language, the parser **accepts** the string and outputs a data structure that **represents the meaning of the sentence**.

For programming languages, meaning is generally represented in the form of an **abstract syntax tree** (AST). In an AST, conventionally, interior nodes are operations, and leaves are data.


## Front-end: the parser

The subject of today's lesson.

## Back-end: the evaluator

There are two kinds of back-end:

1. Interpreter
2. Compiler



## Interpretation Downsides

- Usually (very) slow  
(often 100-200x slower than compilation)



LET IT BE KNOWN  
FOR ALL ETERNITY  
THAT PHARAOH  
TUTANKHAMUN  
LOVES PIZZA


## Interpretation Advantages

- An interpreter is “just a program” so debugging a language is the same as debugging any other program.


## Some interpreted languages

- Most Lisps
- Python
- Ruby
- MATLAB
- R
- (sort of) Java and JavaScript

## Compilation



## Compilation



## Some compiled languages

- C
- C++
- Go
- FORTRAN
- Java (sort of)
- C# (ditto)
- F# (ditto)

## Compilation Advantages

- Usually (very) fast  
(often 1.5-2X slower than hand-optimized assembly code)
- Compiled program is in machine (binary) format; difficult to debug a buggy language because many steps separate source program from final output.

## Code "Optimization"

- Intermediate Code:


```
temp1 = convert_int_to_double(60)
temp2 = mult(rate, temp1)
temp3 = add(initial, temp2)
position = temp3
```
- Optimized Code:

```
temp1 = mult(rate, 60.0)
position = add(initial, temp1)
```
- Generated Machine Code:

```
movf rate, fp2
mulf #60.0, fp2
movf initial, fp1
addf fp2, fp1
movf fp1, position
```

## Compilation Downsides


- Compilation can take a long time



- Cannot modify program without source code.
- Hard to evolve language; compilers are complex.

## Some hybrid (JIT) languages

- Java (C#, F#)
- JavaScript



## History

- Surprisingly, compilers were invented before interpreters.
- More obvious to early engineers.

## Compilers: History

- Invented by Grace Hopper in 1952 while working on the A-0 and FLOW-MATIC languages.
- Work eventually became the COBOL programming language, still widely in use today.




## Compilers: History

I used to be a mathematics professor. At that time I found there were a certain number of students who could not learn mathematics. I then was charged with the job of making it easy for businessmen to use our computers. I found it was not a question of whether they could learn mathematics or not, but whether they would. [...] They said, 'Throw those symbols out — I do not know what they mean, I have not time to learn symbols.' I suggest a reply to those who would like data processing people to use mathematical symbols that they make them first attempt to teach those symbols to vice-presidents or a colonel or admiral. I assure you that I tried it. — Grace Hopper

## Interpreters: History

- Invented by John McCarthy in 1958 while working on LISP.
- Invented as a byproduct of McCarthy's thinking about computation from first principles.
- McCarthy wanted to build computers that could *think!*





- LISP was too resource hungry for most uses at the time.

## Parsers



# Parser Combinators



## Parser Combinators

- A kind of recursive decent parser.
- A **recursive descent parser** is a parser built from a set of **mutually recursive procedures** where each such procedure usually **implements one of the productions** of the grammar.
- Recursive descent parsers are “**top-down**,” meaning that they recognize sentences by expanding nonterminals, starting from the start symbol.
- “**Bottom-up**” parsers start with *terminal* symbols and work in the opposite direction, often utilizing dynamic programming... these are more common in practice!

## Basic Primitives

- Input

```
type Input = string * bool
```

- Output

```
type Outcome<'a> =  
| Success of result: 'a * remaining: Input  
| Failure of fail_pos: int * rule: String
```

## Basic Primitives

- A parser is

```
type Parser<'a> = Input -> Outcome<'a>
```

- Keep in mind: a parser *is a function*.

## Two varieties of parser

- Parsers that **consume input**. Correspond with grammar terminals.
- Parsers that **combine parsers**. Correspond with grammar non-terminals. Also called “combining forms.”
- For flexibility, you can also have **parsers that do both**.



## A very simple terminal parser

- To parse a given char

```
pchar(c: char) : Parser<char>
```

- Notice that the **generic type** inside <brackets> is the **return type of the parser**.
- So `pchar` returns a *parser*.
- When it is run with an *input*, it returns an `Outcome<char>`.

## How to use it

- `(pchar 'z') input`
- input must be "prepared" first.
- ```
> let input = "zoo";;  
val input : string = "zoo"  
> let i = prepare input;;  
val i : Input = ("zoo", true)  
> (pchar 'z') i;;  
val it : Outcome<char> = Success ('z', ("oo", true))
```

## A very simple combining parser

- To parse two things in sequence:

```
pseq : p1:Parser<'a> -> p2:Parser<'b> ->  
f:('a * 'b -> 'c) -> Parser<'c>
```

- It looks more complicated than it is.
- Let's look at each part.

## A very simple combining parser

- `pseq :`  

```
p1:Parser<'a>  
->  
p2:Parser<'b>  
->  
f:('a * 'b -> 'c) -> Parser<'c>
```
- `p1` is a parser.

## A very simple combining parser

- pseq :  
    p1:Parser<'a>  
    ->  
    p2:Parser<'b>  
    ->  
    f:('a \* 'b -> 'c) -> Parser<'c>
- p2 is a parser.

## A very simple combining parser

- pseq :  
    p1:Parser<'a>  
    ->  
    p2:Parser<'b>  
    ->  
    f:('a \* 'b -> 'c) -> Parser<'c>
- **f** is a function that takes the result of **p1** and **p2** and **does something** with it. That **something** is up to **you**.

## How to use it

- pseq (pchar 'z') (pchar 'o') id
- id is F#'s identity function.
- Let's play with this in fsharp.i.

## More details

- It is **critical** that you read the "Parser Combinators" reading.
- I suggest that you **sit down, uninterrupted, for an hour or two**, and **work through the examples** in fsharp.i.
- The reading builds the `Parsers.fs` library that you are given for HW7.

## Example: brace language

- An *expression* is a sequence of *terms*, consisting of *at least one term*.
- A *term* is either 'aaa', 'bbb', or a *brace expression*.
- A *brace expression* is '{', followed by an *expression*, followed by '}'.

## Example: brace language

```
<expr> ::= <term>+  
<term> ::= aaa  
          | bbb  
          | <brace>  
<brace> ::= { <expr> }
```

## Recap & Next Class

### This lecture:

Parts of a language

Parser combinators

### Next lecture:

SQL

Project ideas